

**Form IV**  
**(See Rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

**Period: 2023**

<b>1. Particulars of the Occupier</b>				
<b>(i) Name of the authorized person (Occupier or operator of facility):</b>	Swabrinto Chatterjee			
<b>(ii) Name of HCF or CBMWTF:</b>	WEST BENGAL WASTE MANAGEMENT LIMITED			
<b>(iii) Address for Correspondence:</b>	J.L No 103, Mouza Purba Srikrishnapur, P.S Sutahata			
<b>(iv) Address of Facility:</b>	J.L No 103, Mouza Purba Srikrishnapur, PS Sutahata, Purba Medinipur - 721635			
<b>(v) Tel. No.:</b>	9898449137			
<b>(vi) Fax. No.:</b>	03224 - 238240			
<b>(vii) E-mail ID:</b>	swabrinto.chatterjee@resustainability.com			
<b>(viii) URL of Website:</b>				
<b>(ix) GPS coordinates of HCF of CBMWTF:</b>	22.10630N, 88.13480E			
<b>(x) Ownership of HCF or CBMWTF:</b>	Private			
<b>(xi) Status of Authorization under the BMW (Management and Handing) Rules:</b>	Authorization No.: 32/2S(BM)-2010(Pt-1) Valid Upto: 31/12/2027			
<b>(xii) Status of Consents under Water Act and Air Act.:</b>	Valid Upto: 29/02/2028			
<b>2. Type of Health Care Facility</b>				
<b>HCF/CBMWTF Type:</b>	CBMWTF			
<b>(i) Number healthcare facilities covered by CBMWTF:</b>	1107 as on 31st December 2022			
<b>(ii) No. of beds covered by CBMWTF:</b>	16838 as on 31st December 2022			
<b>(iii) Installed treatment and disposal capacity of CBMWTF:</b>	36000			
<b>(iv) Quantity of BMW treated or disposal by CBMWTF:</b>	1035967			
<b>3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)</b>	Yellow Category: 914223 Red Category: 90091 White Category: 3652 Blue Category: 28001 General Solid Waste: 0			
<b>4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details</b>				
<b>(i) Details of the on-site storage facility:</b>	Size: 150 Capacity: 90000 Provision of on-site storage: NA			
<b>(ii) Disposal Facility:</b>	<b>Type of Treatment Equipment</b>	<b>Number of Units</b>	<b>Capacity (Kg/day)</b>	<b>Quantity Treated or Disposed (Kg/annum)</b>
	Incinerators	1	36000 kg	914223
	Autoclaves	1	430 Ltr	121744
	Shredder	1	40 kg/hr	93743
	Sharp encapsulation	1	SEL	3652

(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	118092						
(iv) No of vehicles used for collection and transportation of BMW:	15						
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <thead> <tr> <th>Type of waste</th> <th>Quantity Generated</th> <th>Where disposal</th> </tr> </thead> <tbody> <tr> <td>Ash</td> <td>92794</td> <td>Own Landfill in CHWTSDf</td> </tr> </tbody> </table>	Type of waste	Quantity Generated	Where disposal	Ash	92794	Own Landfill in CHWTSDf
	Type of waste	Quantity Generated	Where disposal				
Ash	92794	Own Landfill in CHWTSDf					
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	West Bengal Waste Management Limited						
5. Do you have BMW management committee:	Yes						
details:	Yes						
<b>6. Training Conducted on BMW Details</b>							
(i) Number of training conducted on BMW Management:	15						
(ii) Number of personnel trained:	30						
(iii) Number of personnel trained at the time of induction:	2						
(iv) Number of personnel not undergone any training so far:	0						
(v) Whether standard manual for training is available:	Yes						
(vi) Any other information:	NA						
<b>7. Details of the accident occurred</b>							
(i) No. of accident occurred:	0						
(ii) Number of the persons affected:	0						
(iii) Remedial Action taken:	NA						
(iv) Any Fatality occurred, details:	NIL						
8. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NIL						
Details of Continuous online emission monitoring systems installed:	CEMS with remote celebration						
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	NIL						
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?	NIL						
11. Any other relevant information:	Multi cyclone, Bag Filter, Wet Scrubber						

**Name and Signature of the Head of the Institution**

**Date:**

**Place:** Haldia, Purba Medinipur