

Government of West Bengal
Writers' Buildings, Block-G, 2nd floor
Kolkata-700 001

No. EN/ 1362 /T-II-1/013/2004

18th October, 2004

To,
Dr. K.S.M Rao
Head-Waste Management
Ramky Group
Ramky House, Raj Bhawan Road,
Somajiguda,
Hyderabad-500082.

Sub: Environmental clearance to the proposed Integrated Waste Management facility at PS: Sutahata, Dist: Purba Medinipur

Sir,

I am directed to refer to your application dt.22/9/2004 at this end for environmental clearance to the proposed Integrated Waste Management facility for disposal of Industrial Hazardous, bio-medical and municipal wastes, within the state of West Bengal requiring 200 acres of land, at Mouza Srikrishnapur, J.L. No.103 under PS: Sutahata, Dist: Purba Medinipur. The project involves disposal of 300 metric tonnes (approx.) of Integrated Waste per day. The proposal received NOC from WBPCB and afterwards it was referred to the State Level Expert Committee for Environmental Impact Assessment for examination. The committee has recommended the proposal to the Government for environmental clearance.

I am, therefore directed to inform you that in terms of notification no. 4897-A.R dt.8th December, 1986 of the Government of West Bengal, the Department of Environment, the Government of West Bengal, after due examination of the relevant papers and the recommendations of the Committee, accords environmental clearance to the proposed Integrated Waste Management facility for disposal of Industrial Hazardous, bio-medical and municipal wastes at Mouza Srikrishnapur, J.L. No.103 under PS: Sutahata, Dist: Purba Medinipur, subject to the strict compliance to the conditions mentioned below.

A. Specific Conditions:

1. The conditions imposed by the WBPCB while granting the clearance of the project should be strictly followed
2. Monthly monitoring report should be submitted by the West Bengal Waste Management Ltd. to the WBPCB
3. The CPCB may also monitor the works of the company
4. The company should formulate an onsite emergency plan, which is to be submitted to the District Magistrate & Chairman of the District Crisis Group for inclusion in the Offsite Emergency Plan of Haldia.
5. There should be an organized system to monitor the groundwater and leachate
6. The company should take initiative for insurance under the relevant provisions of the Public Liability Insurance Act, 1991.

B. General Conditions:

Adequate provisions for the infrastructural facilities including water supply and sanitation may be ensured for the workers in order to avoid damage to the

2. Appropriate protective measures may be adopted in order to avoid degradation of the surrounding environment.
3. Dumping materials and wastes including other hazardous substances, if any, should not be allowed to pollute the surround environment.
4. Conditions and suggestions in respect of the project as given by the authorities/organizations viz. the West Bengal Pollution Control Board, office of the District Magistrate, Purba Medinipur are to be followed.
5. A quarterly report may be submitted to the Department of Environment, Government of West Bengal.
6. The Department of Environment, Government of West Bengal reserves the right to include the further conditions and to revoke the clearance, if any one of the conditions stipulated above, are not complied with, to the satisfaction of the Department.

Sd/- Mahfuz Alam
Joint Secretary

No. EN/ 1362 /T-II-1/013/2004/1(7)

18th October, 2004

Copy forwarded for information & necessary action to:

- 1) District Magistrate, Haldia.
- 2) Chief Executive Office, Haldia Development Authority, Haldia.
- 3) Shri P.N. Roy, Chairman EIA Committee.
- 4) Member Secretary, West Bengal Pollution Control Board.
- 5) P.A. to Pr. Secretary, Environment Department.
- 6) Website, Environment Department.
- 7) Guard File.


Joint Secretary